Motordeal Premium

1 Westinghouse Blvd, Vanderbijlpark C. E. 6, Vanderbijlpark, 1911 Phone: +27 16 981 0741

R 178 995

FORD ECOSPORT



Year	2014
Mileage	113,820km
Colour	SILVER
Service	Partial service (history)
Spare Key	No
Derivative	1.0i ECOBOOST TITANIUM
Intro Date	2014-03-01
Fuel	UNLEADED
Gearbox	DURASHIFT 5-SPEED MANUAL
Stock #	CA92001
MMcode	22048140

SELLERS NOTES Bluetooth Radio, Fog Lights, Alloy Wheels, Multi-Function Steering Wheel

OEM Specifications based on MMCode 22048140

ORIGINAL WARRANTY & MAINTENANCE ENGINE Warranty Distance 120 000 km Figine TRANSVERSE INLINE 3 Warranty Months 48 Aspiration TURBOCHARGED 4 YEAR /120000KM, 4 YEAR/ 60000KM SERVICE PLAN, 3 YEAR UNLIMITED CORROSIDE ASSIST, 5 YEAR UNLIMITED CORROSIDE Gapacity 998 BRAKES Common Rail NO Brake Front DISCS Gompression 10.0.1 Brake Rear DRUMS VES 100 kmobiliser YES ABS YES DOHC 4 VALVES PER CYLINDER, VVT 2000 km 100 km/h · 0 0 100 kmobiliser YES Automatic Headlamps YES 700 kmobiliser 100 kmobiliser Brake Hazard NO CO2 131 Cornering NO Keyless Start NO Brake Hazard NO SUSPENSION STRUT, COIL SPRING, ANTI-ROLL BAR High Level Brake YES SEMI-INDEPENDENT MCPHERSON STRUT, COIL SPRING, ANTI-ROLL BAR SEMI-INDEPENDENT MCPHERSON STRUT, COIL SPRING, ANTI-ROLL BAR Fort STRUT, COIL SPRING, ANTI-ROLL BAR SEMI-INDEPENDENT TWIST BEAM, WIN GASAND OIL FILLED SHOCK For Rear NO SEMI-INDEPENDENT TWIST BEAM, SARSORBERS For Rear NO SEMI-INDEPENDENT TWIST BEAM, SARSORBERS	-			
Warranty Months48AspirationTURBOCHARGED4 YEAR /120000KM, 4 YEAR/ 60000KM SERVICE PLAN, 3 YEAR UNLIMITED KMS ROADSIDE ASSIST, 5 YEAR UNLIMITED CORROSIONGapacity998BRAKESCommon RailNOBrake FrontDISCS10.0:1Brake RearDRUMSCylinders3CeramicNO31000000000000000000000000000000000000	ORIGINAL WARRANTY & MAIN	NTENANCE	ENGINE	
4 YEAR /120000KM, 4 YEAR / 60000KM SERVICE PLAN, 3 YEAR UNLIMITED KMS ROADSIDE ASSIST, 5 YEAR UNLIMITED CORROSIONCapacity 998998BRAKESCommon RailNOBRAKESDISCS10.0:1Brake FrontDISCSImmobiliserYESBrake RearDRUMSOHC 4 VALVES PER CYLINDER, VVTYOUNSCeramicNO0ValvesDOHC 4 VALVES PER CYLINDER, VVTAbsYESYESTorque170Nm@1400LIGHTSNOCO2131Automatic HeadlampsYESYESAutomatic Exterior DimmerNOValvesSUSPENSIONBrake HazardNOSTRUT, COLL SPRING, ANTI-ROLL BARFrontINDEPENDENT MCPHERSON STRUT, COLL SPRING, ANTI-ROLL BARHigh Level BrakeYESFrontSTRUT, COLL SPRING, ANTI-ROLL BARHigh Level BrakeYESFrontSTRUT, COLL SPRING, ANTI-ROLL BARFog RearNONOSTRUT, COLL SPRING, ANTI-ROLL BARFog RearNOSTRUT, COLL SPRING, COLL STRUT, COLL SPRING, SAND OLL FILLED SHOCK ABSORBERS <td>Warranty Distance</td> <td>120 000 km</td> <td>Engine</td> <td>TRANSVERSE INLINE 3</td>	Warranty Distance	120 000 km	Engine	TRANSVERSE INLINE 3
PLAN, 3 YEAR UNLIMITED KMS ROADSIDE ASSIST, 5 YEAR UNLIMITED CORROSIONCommon RailNOBRAKESCompression Ratio10.0:1Brake FrontDISCSCylinders3Brake RearDRUMSYESCeramicNO92kW@6000ABSYESPower92kW@6000ABSYESDOHC 4 VALVES PER CYLINDER, VVT100 Km/h - 00CO2131LIGHTSVESCorque170Nm@1400Automatic HeadlampsYESVoCO2Automatic Exterior DimmerNOSUSPENSIONBrake HazardNOSUSPENSIONDay TimeNOFrontSTRUT, COIL SPRING, ANTI-ROLL BARHeadlight Height ControlYESSEMI-INDEPENDENT TWIST BEAM, TWIN GASAND OIL FILLED SHOCK ABSORBERSFog FrontNORearSEMI-INDEPENDENT TWIST BEAM, TWIN GASAND OIL FILLED SHOCK ABSORBERSRearRide Height ControlNO	Warranty Months	48	Aspiration	TURBOCHARGED
5 YEAR UNLIMITED CORROSIONCommon RailNOBRAKESCompression Ratio10.0:1Brake FrontDISCSImmobiliserYESBrake RearDRUMSCylinders3CeramicNOPower92kW@6000ABSYESDOHC 4 VALVES PER CYLINDER, VVT100 Km/h - 00CO2131LIGHTSImmobiliserYESAutomatic HeadlampsYESCO2131Automatic Exterior DimmerNOCO2131Brake HazardNOSUSPENSIONSUSPENSIONCorneringNOFrontINDEPENDENT MCPHERSON BARHeadlight Height ControlYESFrontSEMI-INDEPENDENT TWIST BEAM, TWIN GASAND OLI FILLED SHOCK ABSORBERSFog FrontNORearSEMI-INDEPENDENT TWIST BEAM, TWIN GASAND OLI FILLED SHOCK ABSORBERSRide Height ControlFormNORearRearRear			Capacity	998
BRAKESRatio10.011Brake FrontDISCS3Brake RearDRUMS'YESCeramicNO'YESABSYES'DOHC 4 VALVES PER CYLINDER, 'V'T100 Km/h - 00'DOHC 4 VALVES PER CYLINDER, 'V'TLIGHTSTorque170Nm@1400Automatic HeadlampsYES'CO2Automatic Exterior DimmerNOBrake HazardNODay TimeNOHeadlight Height ControlYESHigh Level BrakeYESFog FrontNOFog RearNOYasonNOKatomatic MakeYESHigh Level BrakeYESHigh Level BrakeYESFog RearNOYason <td colspan="2"></td> <td>Common Rail</td> <td>NO</td>			Common Rail	NO
BRAKESBrake FrontDISCSBrake RearDRUMSCeramicNOABSYES100 Km/h - 00LIGHTSTorqueAutomatic HeadlampsYESAutomatic Exterior DimmerNOBrake HazardNODay TimeNOHigh Level BrakeYESHigh Level BrakeYESFog RearNOKanaroNORearNOBrake HazardNODay TimeNOHigh Level BrakeYESFog RearNOKanaro <td></td> <td></td> <td></td> <td>10.0:1</td>				10.0:1
Brake FrontDISCSBrake RearDRUMSCeramicNOABSYES100 Km/h - 00LIGHTSTorqueAutomatic HeadlampsYESAutomatic Exterior DimmerNOBrake HazardNODay TimeNOHeadlight Height ControlYESHigh Level BrakeYESFog FrontNOFog RearNONOSEMI-INDEPENDENT TWIST BEAM, TWIN GASAND OIL FILLED SHOCK ABSORBERSKide Height ControlNONONONONONONONONONONONONONONOHeadlight Height ControlYESNO <td>BRAKES</td> <td></td> <td></td> <td>2</td>	BRAKES			2
Brake RearDRUMSCeramicNOABSYES100 Km/h - 000Torque100 Km/h - 000CO2100 Km/h - 000CO2100 Km/h - 0CO2100 Km/h - 0Torque100 Km/h - 0CO2100 Km/h - 0CO2100 Km/h - 0YESAutomatic HeadlampsYESAutomatic Exterior DimmerNOBrake HazardNOCorneringNODay TimeNOHeadlight Height ControlYESHigh Level BrakeYESFog FrontNOFog RearNOYaranaNO	Brake Front	DISCS	-	
CeramicNOABSYES100 Km/h - 00100 Km/h - 00Coramic170Nm@1400CoramicCO2LIGHTSCO2Automatic HeadlampsYESAutomatic Exterior DimmerNOBrake HazardNOCorneringNODay TimeNOHeadlight Height ControlYESHigh Level BrakeYESFog FrontNOFog RearNONORearKeide Height ControlNOKeide Height ControlNOKeide Height ControlNOKearSEMI-INDEPENDENT TWIST BEAM, TWIN GASAND OIL FILLED SHOCK ABSORBERSRearRearNONONONORearNON	Brake Rear	DRUMS	Immobiliser	YES
ABSYESValvesDOHC 4 VALVES PER CYLINDER, VVT100 Km/h - 00Torque170Nm@1400LIGHTSVESCO2131Automatic HeadlampsYESNOKeyless StartNOBrake HazardNOSUSPENSIONSUSPENSIONCorneringNOSTRUT, COIL SPRING, ANTI-ROLL BARFrontSTRUT, COIL SPRING, ANTI-ROLL BARHeadlight Height ControlYESSEMI-INDEPENDENT MCPHERSON STRUT, COIL SPRING, ANTI-ROLL BARHigh Level BrakeYESRearSEMI-INDEPENDENT TWIST BEAM, TWIN GASAND OIL FILLED SHOCK ABSORBERSFog RearNORide Height ControlNO	Ceramic	NO	Power	92kW@6000
LightsForqueFrontFrontFrontFrontFrontFrontFrontFrontSEMI-INDEPENDENT TWIST BEAM, TWIN GASAND OIL FILLED SHOCK ABSORBERSLight Level BrakeYESKearSEMI-INDEPENDENT TWIST BEAM, TWIN GASAND OIL FILLED SHOCK ABSORBERSKide Height ControlKearKide Height ControlKide Height <td></td> <td></td> <td>Valves</td> <td></td>			Valves	
LIGHTSTorque170Nm@1400Automatic HeadlampsYESKeyless StartNOAutomatic Exterior DimmerNOVESNOBrake HazardNOSUSPENSIONINDEPENDENT MCPHERSON STRUT, COIL SPRING, ANTI-ROLL BARCorneringNOFrontSEMI-INDEPENDENT MCPHERSON STRUT, COIL SPRING, ANTI-ROLL 	100 Km/h - 0	0	Torque	170Nm@1400
Automatic HeadlampsYESTorque170Nm@1400Automatic Exterior DimmerNOKeyless StartNOBrake HazardNOSUSPENSIONCorneringNOFrontINDEPENDENT MCPHERSON STRUT, COIL SPRING, ANTI-ROLL BARHeadlight Height ControlYESSEMI-INDEPENDENT TWIST BEAM, TWIN GASAND OIL FILLED SHOCK ABSORBERSFog FrontNORearSEMI-INDEPENDENT TWIST BEAM, TWIN GASAND OIL FILLED SHOCK ABSORBERSFog RearNORide Height ControlNOYananNONONO			CO2	131
Automatic Exterior DimmerNOBrake HazardNOBrake HazardNOCorneringNODay TimeNOHeadlight Height ControlYESHigh Level BrakeYESFog FrontNOFog RearNONORearRide Height ControlNONONORearRide Height ControlNO	LIGHTS		Torque	170Nm@1400
Automatic Exterior DimmerNOBrake HazardNOCorneringNODay TimeNOHeadlight Height ControlYESHigh Level BrakeYESFog FrontNOFog RearNONORide Height ControlNONORearSEMI-INDEPENDENT TWIST BEAM, TWIN GASAND OIL FILLED SHOCK ABSORBERSRide Height ControlNONONO	Automatic Headlamps	YES	Keyless Start	NO
CorneringNODay TimeNOHeadlight Height ControlYESHigh Level BrakeYESFog FrontNOFog RearNONORide Height ControlNORide Height ControlNO	Automatic Exterior Dimmer	NO		
Day TimeNOINDEPENDENT MOPHENSONHeadlight Height ControlYESFrontSEMI-INDEPENDENT TWIST BEAM, TWIN GASAND OIL FILLED SHOCK ABSORBERSFog FrontNORearRide Height ControlNOYapanNONORide Height ControlNO	Brake Hazard	NO	SUSPENSION	
Day nine NO Headlight Height Control YES High Level Brake YES Fog Front NO Fog Rear NO Xenon NO	Cornering	NO		
Headlight Height ControlYESSEMI-INDEPENDENT TWIST BEAM, TWIN GASAND OIL FILLED SHOCK ABSORBERSFog FrontNORearRide Height ControlYananNORide Height ControlNO	Day Time	NO	Front	
High Level Brake YES Rear TWIN GASAND OIL FILLED SHOCK ABSORBERS Fog Front NO Ride Height Control NO	Headlight Height Control	YES		
Fog Front NO Fog Rear NO Xanan NO	-		Rear	TWIN GASAND OIL FILLED SHOCK
Fog Rear NO Control NO	Fog Front	NO	Pido Hoight	
Xenon NO Self Leveling NO	Fog Rear	NO	Ū	NO
	Xenon	NO	Self Leveling	NO

SECURITY	
Alarm	YES
Automatic Door Lock	Х
Central Locking	REMOTE
Remote Boot Unlock	YES
Remote Fuel Unlock	NO
Gear Lock	NO
ISO Fix Child Seat	REAR OUTER SEATS
Keyless Entry	YES

ELECTRIC MIRRORS & WINDOWS			
Mirror Detail	ELECTRIC		
Folding Mirrors	NO		
Mirror Memory	NO		
Windows Detail	FRONT + REAR		
Once Touch	DRIVER		
Automatic Dip	INTERIOR		

OEM Specifications based on MMCode 22048140

DRIVE	
Gears	5
Drive Wheels	FRONT
Drive Wheels Count	2
Description	DURASHIFT 5- SPEED MANUAL
Diff Lock	NO
Diff Position	NA
Limited Slip Diff	NO
Low Ratio	NO
Full 4 x 4	NO

AIRBAGS	
Airbags	6
Airbag Driver	YES
Airbag Curtain Front	YES
Airbag Head	NO
Airbag Knee	NO
Airbag Passenger	YES
Airbag Side	YES
Airbag Side Front	YES
Airbag Side Rear	NO

FUEL, CONSUMPTION & SPEED			
Capacity	52 <i>l</i>		
Supply	DIRECT INJECTION		
Туре	UNLEADED		
Injection	YES		
Consumption Average	5.7 <i>l</i> /100km		
CO2 Emission	131 g/kg		
CO2 Rating	Х		
Top Speed	0 km/h		

DIMENSIONS & WEIGHTS

SEATING	
Seats	5
Leather	YES
Heated	NO
Electric Adjustment	NO
Detail	NO
Electric Memory	
Rear Split	60:40 SPLIT FOLD
Row 2 Remove	NO
Row 2 Tumble	NO
Row 3 Remove	NA
Row 3 Tumble	NA

Height	1639 mm
Length	4010 mm
Width	-2057 mm
Track Front	1519 mm
Track Rear	1524 mm
Wading Depth	0 mm
Wheel Base	2521 mm
Gross Weight (GVM)	1676 kg
Laden Mass (TARE)	1262 kg
Load	362 kg
Towing Capacity	617 kg
Turning Circle	0

DRIVING ASSISTANCE	
Lane Assist	NO
Lane Change	NO
Collision Warning	NO
Automatic Traction Control	YES
Emergency Brake Assist	YES
Brake Force Distribution	NO
Brake Corner Control	NO
Park Distance Front	NO
Park Distance Rear	YES
Automatic Windscreen Wipers	YES

OEM Specifications based on MMCode 22048140

Interior		Tyres	
Air Conditioner	YES	Front	205/60 R16
Air Conditioner (Automatic)	YES	Rear	205/60 R16
Climate Control	YES	Pressure Monitor	NO
Compass	NO		
Cup Holders CENTRE CONSOLE	Off Road		
	Approach	0 °	
Steering Wheel	AUDIO, CRUISE CONTRO	Departure	0 °
Satellite Navigation		Gradient	0 °
Computer	YES	Ramp	0 °
		Rollover	0 °
Handbrake Position	n BETWEEN FRONT SEATS	Altitude Meter	NO
Automatic Interior Dimmer	YES	Incline Meter	NO

Please note - Disclaimer The OEM (Original Equipment Manufacturer) specifications may not be the exact data for the actual vehicle being offered for sale.

It is recommended to confirm pricing, extras, specifications and all details with the seller before purchase. E&OE.

Photographs

